



T-26 六代勁戰 CNC

可調式煞車拉桿

INSTALLING MANUAL FOR T-26 CNC ADJUSTABLE
BRAKE LEVER FOR DRG 158

■ 安裝說明書


■ 1-1 配件 Accessories



x1set


■ 2-1 安裝說明 Installing Manual

⚠ 部分車種需自行拆裝車殼/ Some models might need to remove scooter cover for installing



(左) 碟煞拉桿
Left: disk brake lever

(右) 碟煞拉桿
Right: disk brake lever



拉桿對準螺絲洞 □ Put lever on the right hole and
將螺絲拴緊。 screw tightly with bolt.

■ 3-1 特色說明 Features



旋鈕表面壓花處理，方便調整角度，
具備 16 ± 2 段可進行角度調整。
Knob surface with knurling, easy to adjust the angle.
Knob adjustable lever with 16 ± 2 sections.



尾段中空造型搭配圓滑觸感符合人體工學，
斷點設計避免倒車時造成拉桿大幅度斷裂無法使用。
Hollow-end design with a smooth, ergonomic feel.
Lever with breakpoint design to prevent from whole
lever getting broken as scooter falling down to affect
the starting.



T-26 DRG CNC

可調式煞車拉桿

INSTALLING MANUAL FOR T-26 CNC ADJUSTABLE
BRAKE LEVER FOR DRG 158


■ 安裝說明書

■ 1-1 配件 Accessories




■ 2-1 安裝說明 Installing Manual

⚠ 部分車種需自行拆裝車殼/ Some models might need to remove scooter cover for installing



(右) 碟煞拉桿
Right: disk brake lever




拉桿對準螺絲洞 □ Put lever on the right hole and
將螺絲拴緊。 screw tightly with bolt.

■ 3-1 特色說明 Features



旋鈕表面壓花處理，方便調整角度，
具備 16 ± 2 段可進行角度調整。
Knob surface with knurling, easy to adjust the angle.
Knob adjustable lever with 16 ± 2 sections.



尾段中空造型搭配圓滑觸感符合人體工學，
斷點設計避免倒車時造成拉桿大幅度斷裂無法使用。
Hollow-end design with a smooth, ergonomic feel.
Lever with breakpoint design to prevent from whole
lever getting broken as scooter falling down to affect
the starting.



T-26 JET S CNC

可調式煞車拉桿

INSTALLING MANUAL FOR T-26 CNC ADJUSTABLE
BRAKE LEVER FOR JET S 125


■ ■ 安裝說明書

■ ■ 1-1 配件 Accessories




■ ■ 2-1 安裝說明 Installing Manual

⚠ 部分車種需自行拆裝車殼/ Some models might need to remove scooter cover for installing



(左) 碟煞拉桿
Left: disk brake lever

(右) 碟煞拉桿
Right: disk brake lever



拉桿對準螺絲洞 □ Put lever on the right hole and
將螺絲拴緊。 screw tightly with bolt.

■ ■ 3-1 特色說明 Features



旋鈕表面壓花處理，方便調整角度，
具備 16 ± 2 段可進行角度調整。
Knob surface with knurling, easy to adjust the angle.
Knob adjustable lever with 16 ± 2 sections.



尾段中空造型搭配圓滑觸感符合人體工學，
斷點設計避免倒車時造成拉桿大幅度斷裂無法使用。
Hollow-end design with a smooth, ergonomic feel.
Lever with breakpoint design to prevent from whole
lever getting broken as scooter falling down to affect
the starting.